

# Ultrasonic Personal Air Sampler (UPAS) v2.1

## PM sampling + GPS + Motion



(Actual device size)

### HIGHLIGHTS

Integrated size-selective PM inlets
Wireless setup via mobile application
Active, accurate sample flow control
Small and quiet; minimal ergonomic burden
Comprehensive, time-resolved data logging
GPS location tracking
Long battery endurance for extended sampling

The UPAS is a compact filter sampler built around ultrasonic pumping technology. The UPAS is smaller, lighter, quieter, more affordable, easier to use, and more robust than conventional air samplers.

**Minimal ergonomic burden:** The UPAS is silent, small, and light enough to be worn in a person's breathing zone. Interchangeable size-selective inlets and filter cartridges integrate directly with the pump, so there's no need for cumbersome tubing or tape!

**Sampling made simple:** It's easy to set up the UPAS using our iOS or Android mobile application.

**Reliable data:** An active sample flow control system maintains the target volumetric flow rate even as environmental conditions change and the pressure drop across the filter increases. The UPAS logs detailed operational data to enable robust sample quality assurance.

*"I like the UPAS because it is easier to use."*

*- Dr. Robert Blount, University of Iowa*

### SPECIFICATIONS

Exterior size	128 mm × 70 mm × 23 mm
Weight	200 g (without inlet or filter cartridge)
Noise	< 45 dB
Flow rate range	1.0 to 2.0 L min <sup>-1</sup> ± 4% (actively controlled)
Size-selective inlets (per relevant EPA, ACGIH, and ISO criteria)	PM <sub>2.5</sub> , 1 L min <sup>-1</sup> PM <sub>2.5</sub> , 2 L min <sup>-1</sup> Respirable PM, 2 L min <sup>-1</sup> PM <sub>10</sub> / Thoracic, 2 L min <sup>-1</sup>
Filter size	37 mm (default) or 25 mm; quick-change filter cartridges for easy in-field handling
Battery type	Li-Ion, 24 W-h
Battery life	20 to 48 h, depending on filter media and sample settings; extendable via external battery or line power.
On-board sensors monitor:	<ul style="list-style-type: none"><li>• Sample flow rate</li><li>• Air temperature/pressure/relative humidity</li><li>• Differential pressure across the sample filter</li><li>• GPS location of UPAS (can be deactivated)</li><li>• Light (Lux, IR, UV, UV index; relative levels only)</li><li>• Motion/acceleration (linear &amp; angular, 6 DOF)</li></ul>



**ACCESS SENSOR TECHNOLOGIES**  
Sampling made simple.®

Revision 1.5, May 2026


### SIMPLE FILTER REPLACEMENT



### SIMPLE INTEGRATED DESIGN



### SIMPLE FORM FACTOR



WEARABLE FOR ALL AGES



INDOOR ENVIRONMENT



"AST UPAS" MOBILE APP

The UPAS has been laboratory- and field-tested alongside gold standards like the Personal Environmental Monitor (PEM), the Harvard Impactor, the Mesa Labs/BGI Triplex Cyclone, and the Personal Modular Impactor (PMI). For validation data, see the following peer-reviewed publications:


Volckens, J., et al. Indoor Air, 2017, <https://doi.org/10.1111/ina.12318>

Arku, R.E., et al. Environment International, 2018, <https://doi.org/10.1016/j.envint.2018.02.033>

Pillarisetti, A., et al. Environment International, 2019, <https://doi.org/10.1016/j.envint.2018.11.014>

Burrowes, V.J., et al. Indoor Air, 2020, <https://doi.org/10.1111/ina.12638>

Li, X., et al., Aerosol Science & Technology, 2024, <https://doi.org/10.1080/02786826.2024.2415481>



Above: UPAS performance relative to a conventional sampler (URG-2000-30EGN-A cyclone & URG-2000-30FG filter holder).

### Access Sensor Technologies

[www.accsensors.com](http://www.accsensors.com) (970) 818-7520 [support@accsensors.com](mailto:support@accsensors.com)  
320 East Vine Drive Suite 221, Fort Collins, CO, USA 80524